

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY) 13/04/01		2. REPORT TYPE Final Report		3. DATES COVERED NOV 1996-NOV 2000; 2001	
4. TITLE AND SUBTITLE Novel Thermoelectric Materials				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER N00014-97-0157	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Professor Francis J. DiSalvo				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Chemistry & Chemical Biology Cornell University Ithaca, NY 14853-1301				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research Ballston Center Tower One 800 North Quincy St. Arlington, VA 22217-5660				10. SPONSOR/MONITOR'S ACRONYM(S) DOD/ONR	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Distribution Unlimited / Approved for Public Release					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT We examined a large number of rare earth intermetallic compounds in the search for materials with improved thermoelectric efficiency. After an extensive study of those compounds that displayed large thermopowers due to intermediate valence effects, we concluded that attainable efficiencies in this class of compounds were unlikely to surpass that of currently available Bi ₂ Te ₃ devices. We then turned our attention to semi-conducting systems. An analysis of the current theories suggests that complex materials of cubic symmetry have the potential to exhibit significantly improved efficiencies. Synthesis experiments to explore this conjecture were undertaken and novel materials discovered. However, in the project period there was not enough time to fully explore					
15. SUBJECT TERMS this new hypothesis.					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES 6	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			Francis J. DiSalvo
Uncl.	Uncl.	Uncl.	SAR		19b. TELEPHONE NUMBER (Include area code) 607-255-7238

Final Report

ONR Award Number: N00014-97-1-0157

Project Title: Novel Thermoelectric Materials

Principal Investigator: Francis J. DiSalvo

PI Affiliation:

Department of Chemistry and Chemical Biology
Cornell University
Ithaca, NY 14853

Contact information:

phone: (607) 255-7238

FAX: (607) 255-4137

email : fjd3@cornell.edu

WEB: <http://www.chem.cornell.edu/fjd3/>

Date: April 13, 2001

20010420 018

Novel Thermoelectric Materials: Final Report

This award was for work performed in the period November 1996 to November 2000 under grant number N00014-97-0157. The award funded research aimed at finding materials with higher thermoelectric figure of merit than for the currently used device material, $\text{Bi}_{0.5}\text{Sb}_{1.5}\text{Te}_3$. We explored two major classes of materials: rare earth based intermetallic compounds and small band gap semiconductors. Although no new materials were discovered that had a higher figure of merit than $\text{Bi}_{0.5}\text{Sb}_{1.5}\text{Te}_3$, a detailed examination of the best theoretical models of complex semiconducting materials, combined with our synthetic explorations, have produced a set of clear objectives for the structural characteristics that should lead to better materials. One hopes that such work will be funded in the future.

Our research in rare earth materials began with the observation that a small number of such compounds have abnormally high thermopower for metallic compounds. Those few compounds had a common characteristic: they displayed intermediate valent (IV) behavior. We synthesized many of the known, as well as some new, IV materials and measured their electrical and thermal properties. We also explored the effects of alloying (or doping) on those properties. In particular the properties measured were typically the electrical resistivity (ρ), the thermal conductivity (κ), the thermopower (S) and the magnetic susceptibility. The latter is diagnostic for IV behavior and the first three properties are essential in determining the Thermoelectric figure of merit: $ZT = S^2T/\rho\kappa$. Maximum ZT for $\text{Bi}_{0.5}\text{Sb}_{1.5}\text{Te}_3$ occurs at room temperature and has a value near 1.0. This produces cooling efficiencies of about 1/3 that attainable with typical home refrigerators. If ZT could be increased to 4, purely electronic devices could be made that have the same efficiency as home refrigerators, but would not use freons, make noise, etc.

Despite synthesizing and characterizing a large number of different rare earth compounds, we were unsuccessful in finding any materials with a ZT larger than approximately 0.2. Since we had explored all of the known IV materials and found a few new ones as well, we concluded that such materials were unlikely candidates to produce $ZT > 1$. Thus our search shifted to the family of small band gap semiconductors, of which $\text{Bi}_{0.5}\text{Sb}_{1.5}\text{Te}_3$ is a member. On the basis of the well developed theory of thermoelectric effects, we pointed out that band degeneracy is an important, often overlooked, parameter in determining the ZT . In fact all known materials with ZT near 1 have significant band degeneracy, usually near 6. But much larger band degeneracies are possible, up to 48 in some cubic systems. If it were possible to increase the degeneracy from 6 to 48 without changing other features of the semiconductor, then $ZT > 4$ would be possible. However, such high band degeneracy is most likely to occur in materials with large, complex cubic unit cells. Such materials are relatively rare and none of the known materials of this class are suitable, since the band gaps are too large.

Consequently, during the last year and a half of the award period, we set out on a search for novel materials that would have the required large unit cells. While we made some progress in preparing new compounds with large unit cells having high symmetry, none

were cubic. Our short foray into this area of complex semiconductor compounds has convinced us that this is a promising route to higher ZT, but clearly much more synthetic effort will be required to find the new class of materials that will display all the necessary characteristics for high ZT.

A complete technical summary of all our work can be found in the publications resulting from our work. These are listed at the end of the report.

Finally, it is important to mention that the research was performed by undergraduate, graduate and post doctoral students as part of their professional training. The list below gives the names of individuals supported in the period of this award and current status of each of those students:

Undergraduates:

Kimberly Regan – currently a graduate student in Chemistry at Princeton University
Josh Bales – currently finishing junior year at Cornell

Graduate Students:

Kevin Proctor – PhD 2000, employed full time at Intel Corp.
Ying Wang – PhD 2000, employed full time at KLA-Tencor
Christopher Jones, PhD 1999, employed full time at Bell Labs, Lucent Technologies
Kristin Poduska, PhD 2001, postdoctoral position at York University, Toronto, Canada
Christopher Hoffman – currently finishing fourth year in graduate school
Thomas Reynolds – currently finishing second year in graduate school

Postdoctoral Students:

Thomas Braun, employed full time at Cornell Information Technologies

Technical Publications resulting from work supported by this award:

1. “Physical Properties of CePd_3As_2 ”, R.A. Gordon, F.J. DiSalvo, and R. Pöttgen, J. Alloys Comp. **236**, 86 (1996)
2. “Structural, Magnetic and Electrical Properties of the New Ternary CePdIn_2 ”, Y. Ijiri, F.J. DiSalvo, and H. Yamane, J. Solid State Chem. **122**, 143 (1996)
3. “Substitution in Ce_2TSi_3 Intermetallic Compositions with $T = (\text{Cr, Mn, Fe, Co or Ni})_x(\text{Pd or Au})_{1-x}$ ”, R.A. Gordon, C.J. Warren, M.G. Alexander, F.J. DiSalvo, and R. Pöttgen, J. Alloys Comp. **248**, 24 (1997)
4. “Magnetic Behavior of Two AlB_2 Related Germanides: $\text{CePd}_{0.63}\text{Ge}_{1.37}$ and $\text{CeAu}_{0.75}\text{Ge}_{1.25}$ ”, C.D.W. Jones, R.A. Gordon, F.J. DiSalvo, R. Pöttgen, and R.K. Kremer, J. Alloys Comp. **260**, 50 (1997)

5. "Thermoelectric Materials: Solid State Synthesis", M.G. Kanatzidis and F.J. DiSalvo, Naval Research Reviews **68**, Issue 4, 14 (1996)
6. "Thermoelectric Properties of $R_x\text{Ce}_{1-x}\text{Pd}_3$ ($R = \text{Y}, \text{La}_{0.5}\text{Y}_{0.5}, \text{Nd}$)", Y. Ijiri and F.J. DiSalvo, Phys. Rev. B **55**, 1283 (1997)
7. "Specific Heat and Heavy-Fermionic Behavior in $\text{Ce}_8\text{Pd}_{24}\text{M}$ ($\text{M} = \text{Ga}, \text{In}, \text{Sn}, \text{Sb}, \text{Pb}$ and Bi)", B.K. Cho, R.A. Gordon, C.D.W. Jones, F.J. DiSalvo, J.S. Kim, and G.R. Stewart, Phys. Rev. B **57**, 15191 (1998)
8. "Solid State Chemistry", F.J. DiSalvo, Solid State Commun. **102**, 79 (1997)
9. "Synthesis and X-Ray Crystal Structure of $\text{K}_4\text{PbTe}_3 \cdot 2(\text{en})$ ", C.D.W. Jones, F.J. DiSalvo, and R.C. Haushalter, Inorg. Chem. **37**, 821 (1998)
10. "Comparisons of Electrical, Magnetic and Low Temperature Specific Heat Properties in Group 13 and Group 14 $\text{Ce}_8\text{Pd}_{24}\text{M}$ Compounds ($\text{M} = \text{B}, \text{Al}, \text{Ga}, \text{In}$ and $\text{Si}, \text{Ge}, \text{Sn}, \text{Pb}$)", C.D.W. Jones, R.A. Gordon, B.K. Cho, F.J. DiSalvo, J.S. Kim, and G.R. Stewart, Physica B **262**, 284 (1999)
11. "Thermoelectric Properties of the Doped Kondo Insulator: $\text{Nd}_x\text{Ce}_{3-x}\text{Pt}_3\text{Sb}_4$ ", C.D.W. Jones, K.A. Regan, and F.J. DiSalvo, Phys. Rev. B **58**, 16057 (1998)
12. "Modification of the Thermoelectric Properties of CePd_3 by the Substitution of Neodymium and Thorium", K.J. Proctor, C.D.W. Jones, and F.J. DiSalvo, J. Phys. Chem. Solids **60**, 663 (1999)
13. "Electronic Structure and Bonding in Ce Nitride Compounds: Trivalent versus Tetravalent Cerium", G.A. Landrum, R. Dronskowski, R. Niewa, and F.J. DiSalvo, Chem.-Eur. J. **5**, 515 (1999)
14. "Intermediate Valence Behavior of Yb in $\text{Yb}_2\text{Ni}_{12}(\text{P}, \text{As})_7$ ", B.K. Cho, F.J. DiSalvo, J.S. Kim, G.R. Stewart, and S.L. Bud'ko, Physica B **253**, 40 (1998)
15. " $\text{Ce}_3\text{Cu}_x\text{Pt}_{3-x}\text{Sb}_4$: Modifying the Properties of a Kondo Insulator by Substitutional Doping", C.D.W. Jones, K.A. Regan, and F.J. DiSalvo, Phys. Rev. B **60**, 5282 (1999)
16. "Czochralski Growth and Thermoelectric Properties of Single Crystalline Ce_2CoSi_3 ", K.J. Proctor, C.D.W. Jones, and F.J. DiSalvo, J. Alloys Comp., submitted.
17. "Single-Crystal Growth and Thermoelectric Properties of $\text{Ce}_5\text{Cu}_{19}\text{P}_{12}$ ", K.J. Proctor and F.J. DiSalvo, Mater. Res. Soc. Symp. Proc. **545**, 171 (1999)
18. "Thermoelectric Cooling and Power Generation", F.J. DiSalvo, Science **285**, 703 (1999)

19. "Synthesis and Structural Characterization of Ba_2CdTe_3 ", Y.C. Wang and F.J. DiSalvo, J. Solid State Chem. **148**, 464 (1999)
20. "Thermoelectric Properties of the Intermediate Valent Cerium Intermetallic $\text{Ce}_2\text{Ni}_3\text{Si}_5$ Doped with Pd, Co, and Cu", K.J. Proctor, K.A. Regan, A. Littman, and F.J. DiSalvo, J. Alloys Comp. **292**, 124 (1999)
21. "Pressure-Tuning in the Search for Improved Thermoelectric Materials", D.A. Polvani, J.F. Meng, C.D.W. Jones, F.J. DiSalvo, and J.V. Badding, Mater. Res. Soc. Symp. Proc. **545**, 259 (1999)
22. "Pressure Tuning in the Chemical Search for Improved Thermoelectric Materials: $\text{Nd}_x\text{Ce}_{3-x}\text{Pt}_3\text{Sb}_4$ ", J.F. Meng, D.A. Polvani, C.D.W. Jones, F.J. DiSalvo, Y. Fei, and J.V. Badding, Chem. Mater. **12**, 197 (2000)
23. "Structural and Thermopower Studies of CeNiAl_4 and CeNiIn_4 . Related Compounds", K.M. Poduska, F.J. DiSalvo, and V. Petricek, J. Alloys Comp. **308**, 64 (2000)
24. "Crystal Structure of $\text{Tm}_2\text{Ni}_{12}\text{P}_7$ ", T.P. Braun and F.J. DiSalvo, J. Alloys Comp. **307**, 111 (2000)
25. "Transport Properties of Intermetallic Thulium Compounds", T.P. Braun and F.J. DiSalvo, J. Alloys Comp. **305**, 43 (2000)
26. "Bismuth Selenide Iodide", T.P. Braun and F.J. DiSalvo, Acta Crystallogr. C **56**, e1-e2 (2000)
27. "Synthesis and Characterization of SrBi_2Se_4 ", Y.C. Wang, R. Hoffmann, and F.J. DiSalvo, J. Solid State Chem. **256**, 230 (2001)
28. "Exploring Complex Chalcogenides for Thermoelectric Applications", Y.C. Wang and F.J. DiSalvo, 2000 MRS Meeting, San Francisco.
29. "Structure and Physical Properties of BaCu_2Te_2 ", Y.C. Wang and F.J. DiSalvo, J. Solid State Chem. **256**, 44 (2001)
30. "Structure and Physical Properties of CeSbTe ", Y.C. Wang, K.M. Poduska, R. Hoffmann, and F.J. DiSalvo, J. Alloys Comp. **314**, 132 (2001)
31. "Structure and Properties of the Stannides CeAuSn , $\text{Ce}_3\text{Rh}_4\text{Sn}_{13}$, and $\text{Ce}_3\text{Ir}_4\text{Sn}_{13}$ ", D. Niepmann, R. Pöttgen, K.M. Poduska, F.J. DiSalvo, H. Trill, and B.D. Mosel, Z. Naturforsch. **56b**, 1 (2001)

32. "Structural Studies of a Cubic, High-temperature (α) Polymorph of Pb_2GeS_4 and the Isostructural $\text{Pb}_{2-x}\text{Sn}_x\text{GeS}_{4-y}\text{Se}_y$ Solid Solution", K.M. Poduska, L. Cario, F.J. DiSalvo, K. Min, and P.S. Halasyamani, J. Alloys Comp., accepted.
33. "Structure Determination of $\text{La}_3\text{CuGeS}_7$ and $\text{La}_3\text{CuGeSe}_7$ ", K.M. Poduska, F.J. DiSalvo, K. Min, and P.S. Halasyamani, J. Alloys Comp., accepted.